



TP-Link Archer TX20E Intern WLAN / Bluetooth 1800 Mbit/s

Mærke : TP-Link

Produktkode: ARCHER TX20E

Produkt navn : Archer TX20E

TP-Link Archer TX20E. Intern. Forbindelsesteknologi: Trådløs, Værtsgrænseflade: PCI Express, Grænseflade: WLAN / Bluetooth. Maksimal dataoverførselshastighed: 1800 Mbit/s, Bedste Wi-Fi standard: Wi-Fi 6 (802.11ax), Wi-Fi-bånd: Dual-band (2,4 GHz / 5 GHz). Produktfarve: Sort



Porte & Grænseflader		Systemkrav	
Forbindelsesteknologi *	Trådløs	Understøttede Windows-operativsystemer	Windows 10 Education x64, Windows 10 Enterprise x64, Windows 10 Home x64, Windows 10 Pro x64, Windows 10 x64, Windows 11 Enterprise x64, Windows 11 x64
Værtsgrænseflade *	PCI Express		
Grænseflade *	WLAN / Bluetooth		
Netværk		Driftsbetingelser	
Maksimal dataoverførselshastighed *	1800 Mbit/s	Driftstemperatur (T-T)	0 - 40 °C
Netværksstandarder *	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Opbevaringstemperatur (T-T)	-40 - 70 °C
		Relativ luftfugtighed ved drift (H-H)	10 - 90%
Wi-Fi	✓	Relativ luftfugtighed ved opbevaring (H-H)	5 - 90%
Wi-Fi-bånd	Dual-band (2,4 GHz / 5 GHz)	Bæredygtighed	
Bedste Wi-Fi standard	Wi-Fi 6 (802.11ax)	Overholdelse af bæredygtighed	✓
Wi-Fi-standarder	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Vægt & størrelser	
Understøttede WLAN-dataoverførselshastigheder	11,54,300,574,867,1200 Mbit/s	Bredde	120,8 mm
Modulation	16-QAM, 64-QAM, 256-QAM, 1024-QAM, CCK, DBPSK, DQPSK, OFDM	Dybde	78,5 mm
		Højde	20,9 mm
Sikkerhedsalgoritmer	64-bit WEP, 128-bit WEP, 802.1x RADIUS, WPA, WPA-PSK, WPA2, WPA2-PSK, WPA3	Emballeringsdata	
		Pakkebredde	201,5 mm
Bluetooth	✓	Pakkedybde	152,5 mm
Bluetooth-version	5.2	Pakkehøjde	41,5 mm
Design	PC/server	Pakkevægt	220 g
		Emballage indhold	
Produktfarve	Sort	Monteringsbeslag inkluderet	✓
Intern *	✓	Ressource CD	✓
Antenne	✓	Bluetooth header kabel	✓
Antennedesign	Ekstern	Hurtig installationsvejledning	✓

Design		Tekniske detaljer	
Sendeeffekt (CE)	23 dBm	Compliance-certifikater	CE, Federal Communications Commission (FCC), RoHS
Sendeeffekt (FCC)	27 dBm		
Plug and play	✓		
Driftsmodus	Infrastruktur-tilstand		



4897098688816



4897098688809



0840030708800



840030708800

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.