



## TP-Link TL-MR3420 trådløs router Hurtigt ethernet Enkelt band (2,4 GHz) Sort, Hvid

Mærke : TP-Link

Produktkode: TL-MR3420

Produkt navn : TL-MR3420

TP-Link TL-MR3420. WAN forbindelsestype: RJ-45. Wi-Fi-bånd: Enkelt band (2,4 GHz), Bedste Wi-Fi standard: Wi-Fi 4 (802.11n), WLAN dataoverførsels hastighed (maks): 300 Mbit/s. Ethernet LAN-grænsefladetype: Hurtigt ethernet, Ethernet LAN-datahastigheder: 10,100 Mbit/s, Netværksstandarder: IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3u. Firewall sikkerhed: NAT, SPI. Produkttype: Bordplade router, Produktfarve: Sort, Hvid



<b>WAN-forbindelse</b>		<b>Emballage indhold</b>	
Ethernet WAN *	✓	Kabler inkluderet	LAN (RJ-45)
DSL WAN *	✗	AC-adapter inkluderet	✓
SIM-kort slot *	✗	Antenne inkluderet	✓
3G/4G kompatibilitet USB-modem *	✓	Hurtig installationsvejledning	✓
WAN forbindelsestype	RJ-45		
<b>Trådløse LAN funktioner</b>		<b>Bæredygtighed</b>	
Wi-Fi-bånd *	Enkelt band (2,4 GHz)	Overholdelse af bæredygtighed	✓
Bedste Wi-Fi standard *	Wi-Fi 4 (802.11n)		
WLAN dataoverførsels hastighed (maks) *	300 Mbit/s	<b>Antenne</b>	
Wi-Fi-standarder	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Antennedesign *	Ekstern
Modulation	16-QAM, 64-QAM, CCK, DBPSK, DQPSK, OFDM	Antennestik type	RP-SMA
<b>Netværk</b>		Niveau for antennestyrke (maks.)	5 dBi
Ethernet LAN *	✓	Antenner, antal	2
Ethernet LAN-grænsefladetype *	Hurtigt ethernet	Antenneretningstype	Omniretningsbestemt
Ethernet LAN-datahastigheder	10,100 Mbit/s	Overfører strøm	20 dBmW
Netværksstandarder	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3u	<b>Funktioner</b>	
Auto MDI/MDI-X	✓	Firmware kan opgraderes	✓
Modtager, følsomhed	270M: -68dBm@10% PER, 130M: -68dBm@10% PER, 108M: -68dBm@10% PER, 54M: -68dBm@10% PER, 11M: -85dBm@8% PER, 6M: -88dBm@10% PER, 1M: -90dBm@8% PER	<b>Strømstyring</b>	
<b>Porte &amp; Grænseflader</b>		Strømkilde type *	Vekselstrøm
Ethernet LAN-porte (RJ-45) *	4	Udgangsspænding	12 V
		Udgangsstrøm	1 A
		<b>Driftsbetingelser</b>	
		Driftstemperatur (T-T)	0 - 40 °C
		Opbevaringstemperatur (T-T)	-40 - 70 °C
		Relativ luftfugtighed ved drift (H-H)	10 - 90%
		Relativ luftfugtighed ved opbevaring (H-H)	5 - 95%

Porte & Grænseflader		Systemkrav			
USB-port *	✓	Understøttede Windows-operativsystemer	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 98SE, Windows NT, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64		
Antal USB 2.0-porte	1				
DC-in-stik	✓				
Administrationsfunktioner					
Webbaseret administration	✓				
WPS trykknop	✓				
Sikkerhed					
Firewall	✓				
Firewall sikkerhed	NAT, SPI				
DDoS beskyttelse	✓				
Filtrering	✓	Understøttede Linux-operativsystemer	✓		
Filtrering af MAC-adresser	✓				
IP-adresse filtrering	✓				
URL-filtrering	✓				
Design					
Produktfarve	Sort, Hvid			Understøttede Mac-operativsystemer	✓
Tænd-/slukkontakt	✓				
Produkttype *	Bordplade router				
Godkendelser					
Compliance-certifikater	RoHS, Federal Communications Commission (FCC), CE				
Vægt & størrelser					
Bredde	204 mm				
Dybde	138 mm				
Højde	44 mm				
Emballeringsdata					
Pakkebredde	315 mm				
Pakkedybde	240 mm				
Pakkehøjde	70 mm				
Pakkevægt	620 g				
Logistik data					
Harmoniseret systemkode (HS)	85176990				




6935364051495



0854587033407



854587033407



0845973051495



845973051495

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.