



## TP-Link Deco M5(3-pack) Dual-band (2,4 GHz / 5 GHz) Wi-Fi 5 (802.11ac) Hvid 2 Intern

**Mærke :** TP-Link

**Produktkode:** DECO M5(3-PACK) V2

**Produkt navn :** Deco M5(3-pack)

TP-Link Deco M5(3-pack). Produktfarve: Hvid, Antenne type: Intern, Produkttype: Mesh-system. Wi-Fi-bånd: Dual-band (2,4 GHz / 5 GHz), Bedste Wi-Fi standard: Wi-Fi 5 (802.11ac), WLAN dataoverførselshastighed (maks): 1300 Mbit/s. Firewall sikkerhed: SPI Firewall, Understøttede mobile operativsystemer: Android 4.4, Android 5.0, Android 5.1, Android 6.0, Android 7.0, Android 7.1, Android 7.1.2,..., Funktioner til forældrekontrol: Filter for indhold, Brugerdefinerede profiler, Tidskontrol, Time rewards, Ugentlige/månedlige.... Vekselstrømsindgangsspænding: 100 - 240 V, Vekselstrømsindgangsfrekvens: 50 - 60 Hz, Udgangsspænding for vekselstrømsadapter: 12 V. Compliance-certifikater: CE, RoHS, Certificering: FCC, IC, NCC, BSMI, IDA, RCM, JPA, JRF, VCCI, KC



| Design                                        |                                                                       | Funktioner                                 |                                                                                                         |
|-----------------------------------------------|-----------------------------------------------------------------------|--------------------------------------------|---------------------------------------------------------------------------------------------------------|
| Produkttype                                   | Mesh-system                                                           | Universal Plug and Play (UPnP)             | ✓                                                                                                       |
| Produktfarve *                                | Hvid                                                                  | Forældrekontrol                            | ✓                                                                                                       |
| LED-indikatorer                               | ✓                                                                     | Funktioner til forældrekontrol             | Filter for indhold, Brugerdefinerede profiler, Tidskontrol, Time rewards, Ugentlige/månedlige rapporter |
| Antenne type *                                | Intern                                                                |                                            |                                                                                                         |
| Antenner, antal                               | 4                                                                     |                                            |                                                                                                         |
| Knap til nulstilling                          | ✓                                                                     | Porte & Grænseflader                       |                                                                                                         |
| Trådløse LAN funktioner                       |                                                                       | Ethernet LAN-porte (RJ-45) *               | 2                                                                                                       |
| Wi-Fi-bånd *                                  | Dual-band (2,4 GHz / 5 GHz)                                           | DC-in-stik                                 | ✓                                                                                                       |
| Bedste Wi-Fi standard *                       | Wi-Fi 5 (802.11ac)                                                    | Strømstyring                               |                                                                                                         |
| Wi-Fi-standarder                              | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)      | Vekselstrømsindgangsspænding               | 100 - 240 V                                                                                             |
| WLAN dataoverførselshastighed (maks) *        | 1300 Mbit/s                                                           | Vekselstrømsindgangsfrekvens               | 50 - 60 Hz                                                                                              |
| WLAN dataoverførselshastighed (første bånd)   | 400 Mbit/s                                                            | Udgangsspænding for vekselstrømsadapter    | 12 V                                                                                                    |
| WLAN dataoverførselshastighed (anden bånd)    | 867 Mbit/s                                                            | Vekselstrømsadapterens udgangsstrøm        | 1,2 A                                                                                                   |
|                                               |                                                                       | Godkendelser                               |                                                                                                         |
| Netværksstandarder                            | IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n | Compliance-certifikater                    | CE, RoHS                                                                                                |
| Sikkerhedsalgoritmer                          | WPA-PSK, WPA2-PSK                                                     | Certificering                              | FCC, IC, NCC, BSMI, IDA, RCM, JPA, JRF, VCCI, KC                                                        |
| Antal gæstenetværk (5 GHz)                    | 1                                                                     | Bæredygtighed                              |                                                                                                         |
| Antal gæstenetværk (2,4 GHz)                  | 1                                                                     | Overholdelse af bæredygtighed              | ✓                                                                                                       |
| Point-to-point protocol over Ethernet (PPPoE) | ✓                                                                     | Driftsbetingelser                          |                                                                                                         |
| Dynamisk IP                                   | ✓                                                                     | Driftstemperatur (T-T)                     | 0 - 40 °C                                                                                               |
| Statisk IP                                    | ✓                                                                     | Opbevaringstemperatur (T-T)                | -40 - 70 °C                                                                                             |
| Dynamisk DNS (DDNS)                           | ✓                                                                     | Relativ luftfugtighed ved drift (H-H)      | 10 - 90%                                                                                                |
| Gæsteadgang                                   | ✓                                                                     | Relativ luftfugtighed ved opbevaring (H-H) | 5 - 90%                                                                                                 |

| Funktioner                            |                                                                                                                                                                                                         | Vægt & størrelser          |         |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|---------|
| Indbygget processer                   | ✓                                                                                                                                                                                                       | Bredde                     | 120 mm  |
| Processorkerner                       | 4                                                                                                                                                                                                       | Dybde                      | 120 mm  |
| Bluetooth                             | ✓                                                                                                                                                                                                       | Højde                      | 38 mm   |
| Bluetooth-version                     | 4.2                                                                                                                                                                                                     | Emballage indhold          |         |
| Servicekvalitet support (QoS)         | ✓                                                                                                                                                                                                       | Antal produkter inkluderet | 3 stk   |
| Portvideresendelse                    | ✓                                                                                                                                                                                                       | AC-adapter inkluderet      | ✓       |
| Firewall sikkerhed                    | SPI Firewall                                                                                                                                                                                            | Antal medfølgende enheder  | 3 stk   |
| Stråleformning                        | ✓                                                                                                                                                                                                       | Ethernet-kabel             | ✓       |
| DHCP-klient                           | ✓                                                                                                                                                                                                       | Emballeringsdata           |         |
| DHCP-server                           | ✓                                                                                                                                                                                                       | Pakkebredde                | 319 mm  |
| Understøttede mobile operativsystemer | Android 4.4, Android 5.0, Android 5.1, Android 6.0, Android 7.0, Android 7.1, Android 7.1.2, Android 8.0, Android 9.0, iOS 10.0, iOS 11.0, iOS 11.4, iOS 12, iOS 13, iOS 9.0, iOS 9.1, iOS 9.2, iOS 9.3 | Pakkedybde                 | 241 mm  |
|                                       |                                                                                                                                                                                                         | Pakkehøjde                 | 105 mm  |
|                                       |                                                                                                                                                                                                         | Pakkevægt                  | 1,23 kg |
|                                       |                                                                                                                                                                                                         |                            |         |



6935364080839



0845973080839



845973080839



6935364083281

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.