

Logitech C920 Pro HD webcam 1920 x 1080 pixel USB Sort

Mærke : Logitech

Produktkode: 960-001252

Produktnavn : C920 Pro HD

1080p, 720p, 30 FPS, 94 x 24 x 29 mm

Logitech C920 Pro HD. Maksimal videoopløsning: 1920 x 1080 pixel, Kamera HD type: Fuld HD, Maksimum billedhastighed: 30 fps. Grænseflade: USB, Produktfarve: Sort, Monteringstype: Klip/stand. Understøttede Mac-operativsystemer: Ja, MacOS, Understøttede mobile operativsystemer: Android, Andre understøttede operativsystemer: ChromeOS. Bredde: 94 mm, Dybde: 71 mm, Højde: 43,3 mm. Pakketype: Kasse, Pakkebredde: 52,8 mm, Pakkedybde: 102 mm



Præstation		Emballeringsdata	
Maksimal videoopløsning *	1920 x 1080 pixel	Pakkebredde	52,8 mm
Maksimum billedhastighed	30 fps	Pakkedybde	102 mm
Kamera HD type *	Fuld HD	Pakkehøjde	82,2 mm
Understøttede videotilstande	720p, 1080p	Pakkevægt	203,9 g
Autofokus	✓	Emballage indhold	
Privatlivskamera	✓	LCD-beslag	✓
Privatlivets fred type	Privacy cover	Laptop-beslag	✓
Synsfelt, diagonalt	78°	Batterier inkluderet	✗
Design		1 webkamera med 1,5 m påmonteret USB-A-kabel Lukker som dækker kameraets objektiv Brugervejledning	
Grænseflade *	USB		
Produktfarve *	Sort		
Monteringstype *	Klip/stand		
Linse, materiale	Glas	Systemkrav	
Indbygget flash *	✗		
Kabellængde	1,5 m	Minimum systemkrav Kompatibel med: Windows 10 eller nyere, Windows 8, Windows 7 Fungerer i UVC-tilstand (USB Video Device Class) med understøttet software til videoopkald: macOS 10.10 eller nyere Chrome OS Android v 5.0 eller nyere USB-port Internetadgang Du kan finde oplysninger om systemkrav for videosamtaler i dit foretrukne program på producentens websted.	
Software			
Understøttede Windows-operativsystemer	✓		
Understøttede Mac-operativsystemer	Ja, MacOS		
Understøttede mobile operativsystemer	Android		
Andre understøttede operativsystemer	ChromeOS	Mikrofon	
Vægt & størrelser		Indbygget mikrofon *	✓
		Antal mikrofoner	1
		Mikrofonretningstype	Omniretningsbestemt
		Logistik data	
Bredde	94 mm	Harmoniseret systemkode (HS)	85258900
Dybde	71 mm		
Højde	43,3 mm		

Vægt & størrelser		Logistik data	
Vægt	162 g	Hovedkassens bredde (udvendigt)	218,8 mm
Emballeringsdata		Hovedkassens længde (udvendigt)	223,4 mm
Antal	1	Hovedkassen højde (udvendigt)	92,3 mm
Pakke type	Kasse	Hovedkassens bruttovægt (udvendigt)	1,79 kg



5099206082199

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 29-AUG-2026. Prints or copies of Information are only valid on the printed Publication date