



## CLUB3D USB3.2 Gen1 Type A or C Dual Display 4K60Hz Docking Station

Mærke : CLUB3D

Produktkode: CSV-1460

Produktnavn : USB3.2 Gen1 Type A or C Dual Display 4K60Hz Docking Station

CLUB3D USB3.2 Gen1 Type A or C Dual Display 4K60Hz Docking Station. Forbindelsesteknologi: Docking, Værtsgrænseflade: USB 3.2 Gen 1 (3.1 Gen 1) Type-B, Tilslutning af hovedtelefoner: 3,5 mm. Ethernet LAN-datahastigheder: 10,100,1000 Mbit/s. Produktfarve: Sort, Maksimal digital opløsning: 5120 x 2880 pixel, Maksimal opdateringshastighed: 60 Hz. Strømkilde type: DC, Udgangsspænding: 5 V, USB-kabellængde: 1 m. Understøttede Windows-operativsystemer: Windows 10, Windows 7, Windows 8



### Porte & Grænseflader

Forbindelsesteknologi *	Docking
Værtsgrænseflade *	USB 3.2 Gen 1 (3.1 Gen 1) Type-B
Antal USB 3.2 Gen 1 (3.1 Gen 1) type-A-porte *	6
Antal DisplayPorts	2
Mikrofonindgang *	✓
Udgange til hovedtelefoner *	1
Tilslutning af hovedtelefoner	3,5 mm
USB-stik type	USB Type-A
DC-in-stik	✓

### Netværk

Ethernet LAN *	✓
Ethernet LAN-porte (RJ-45)	1
Ethernet LAN-datahastigheder	10,100,1000 Mbit/s
Wake-on-LAN klar	✓

### Præstation

Indbygget kortlæser *	✗
Maksimal digital opløsning	5120 x 2880 pixel
Antal understøttede skærme	2
Maksimal opdateringshastighed	60 Hz
Produktfarve *	Sort
Tænd-/slukkontakt	✓
Funktion for opladning	✓
Oprindelsesland	Kina
Kapabilitet	Lenovo Dell Acer Asus. MSI. Toshiba Apple HP Razer
Certificering	FCC, CE, ROHS, WEEE

### Strømstyring

USB-kabellængde	1 m
-----------------	-----

### Software

Understøttede Windows-operativsystemer	Windows 10, Windows 7, Windows 8
Understøttede Mac-operativsystemer	✓

### Vægt & størrelser

Bredde	80 mm
Dybde	35 mm
Højde	195 mm
Vægt	395 g

### Emballeringsdata

Antal pr. pakke	1 stk
Pakkebredde	130 mm
Pakkedybde	212 mm
Pakkehøjde	130 mm
Pakkevægt	1,03 kg


### Emballage indhold

Kabler inkluderet	Vekselstrøm, USB, USB Type-C
AC-adapter inkluderet	✓
Brugervejledning	✓
Drivere inkluderet	✓
Stativ inkluderet	✓

### Emballagesammensætning

Vægt af plastemballage	5 g
Vægt af papir/papemballage	362 g

<b>Strømstyring</b>		<b>Emballagesammensætning</b>	
Strømkilde type	DC	Samlet plastemballagevægt	10 g
Udgangsspænding	5 V	Samlet papir-/papemballagevægt	724 g
<b>Tekniske detaljer</b>			
Compliance-certifikater		RoHS	
<b>Logistik data</b>			
Harmoniseret systemkode (HS)		8473 3020	



8719214470777



0841615100965



841615100965

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.